



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of)
)
Masami Takagi, et al.) Group Art Unit: 2879
)
Serial No. 10/798,260) Examiner: Karabi Guharay
)
Filed: March 12, 2004) Atty. Docket No. 004476.00024

For: A DIELECTRIC BARRIER DISCHARGE TYPE LOW PRESSURE DISCHARGE
LAMP

**AMENDMENT
AND
REQUEST FOR ONE-MONTH EXTENSION OF TIME**

U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

This paper is responsive to the non-final Office Action mailed August 19, 2005, and Applicants request a one-month extension of time for responding to the Office Action, resulting in a new due date of December 19, 2005. If any additional fees are due in connection with this paper, please charge such fees to Deposit Account No. 19-0733.

Amendments to the Specification are indicated beginning at page 2 of this paper.

Amendments to the Claims are reflected in the Listing of Claims, which begins on page 3 of this paper.

Remarks/Arguments begin on page 6 of this paper.

Amendments to the Figures are reflected in the Replacement Sheets attached to this paper.

12/20/2005 SZEWDIE1 00000173 190733 10798260

01 FC:1251 120.00 DA